Material Safety Datasheet

Page 1 of 10

AS PER REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL

Section 1 - Identification of the	substance/mixture and of the company/undertaking		
1.1 Product identifier	. ,		
Product name	Swift Low Foam		
1.2 Relevant identified uses of the substance or mixture and uses advised against			
Description	Hard surfaces multi-purpose cleaner		
1.3 Details of the supplier of the	e safety data sheet		
Company	Granwax Products Limited		
Address	West Street Riddings Alfreton Derbyshire DE55 4EW		
Web	www.granwax.com		
Email	info@granwax.com		
Email address of the competent person	info@granwax.com		
1.4 Emergency telephone numl	oer		
Emergency telephone number	+ 44 (0)1773 541177 - 9.00 am - 5.00 pm Monday to Friday		
Section 2 - Hazards identificati	on		
2.1 Classification of the substar	nce or mixture		
2.1.1 Classification - 1999/45/EC	Xi; R36/38 Symbols: Xi: Irritant.		
Main hazards	Irritating to eyes and skin.		
2.1.2. Classification - EC 1272/2008	Skin Corr. 1A: H314;		
2.2 Label elements			
Hazard pictograms			
Signal word	Danger		
Hazard Statement	Skin Corr. 1A: H314 - Causes severe skin burns and eye damage.		
Precautionary Statement: Prevention	P260 - Do not breathe dust/fume/gas/mist/vapours/spray. P264 - Wash with clean water thoroughly after handling. P280 - Wear protective gloves/protective clothing/eye protection/face protection.		

Material Safety Datasheet

Page 2 of 10

Precautionary Statement: Response	P301+P330+P331 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting. P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing. P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P310 -If swallowed Immediately call a POISON CENTRE/doctor/or if you feel unwell. P321 - Specific treatment (see on this label). P363 - Wash contaminated clothing before reuse.
Precautionary Statement: Storage	P405 - Store locked up.
Precautionary Statement: Disposal	P501 - Dispose of contents/container to requirements of local authority
2.3 Other hazards	
Other hazards	No data is available on this product.

Section 3 - Composition/information on ingredients

3.2. Mixtures

67/548/EEC / 1999/45/EC

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification	M-factor.
C13-15 Alcohol ethoxylate 7eo		68131-39-5			0 - 0.5%	Xn; R22 Xi; R41 N; R50	
Ethylene glycol monobutyl ether (2-Butoxyethanol)	603-014-00-0	111-76-2	203-905-0		1 - 10%	Xn; R20/21/22 Xi; R36/38	
Disodium metasilicate pentahydrate		10213-79-3	229-912-9		1 - 10%	C; R34 Xi; R37	

EC 1272/2008

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification	M-factor.
C13-15 Alcohol ethoxylate 7eo		68131-39-5			0 - 0.5%	Acute Tox. 4: H302; Eye Dam. 1: H318; Aquatic Acute 1: H400	
Ethylene glycol monobutyl ether (2-Butoxyethanol)	603-014-00-0	111-76-2	203-905-0		1 - 10%	Acute Tox. 4: H332; Acute Tox. 4: H312; Acute Tox. 4: H302; Eye Irrit. 2: H319; Skin Irrit. 2: H315;	
Disodium metasilicate pentahydrate		10213-79-3	229-912-9		1 - 10%	Met. Corr. 1: H290; Skin Corr. 1B: H314; STOT SE 3: H335;	

Material Safety Datasheet

Page 3 of 10

Section 4 - First aid measures				
4.1 Description of first aid measures				
Inhalation	Move the exposed person to fresh air.			
Eye contact	Rinse immediately with plenty of water for 15 minutes holding the eyelids open.			
Skin contact	Wash off immediately with plenty of soap and water. Remove contaminated clothing.			
Ingestion	DO NOT INDUCE VOMITING.			
4.2 Most important symptoms a	and effects, both acute and delayed			
Inhalation	Inhalation may cause coughing, tightness of the chest and irritation of the respiratory system.			
Eye contact	May cause irritation to eyes.			
Skin contact	May cause irritation to skin.			
Ingestion	Ingestion may cause nausea and vomiting.			
4.3 Indication of any immediate	medical attention and special treatment needed			
Inhalation	If you feel unwell, seek medical advice (show the label where possible).			
Eye contact	Seek medical attention.			
Skin contact	Seek medical attention if irritation or symptoms persist.			
Ingestion	If you feel unwell, seek medical advice (show label where possible).			
Section 5 - Firefighting measure	9S			
5.1 Extinguishing media				
	Use extinguishing media appropriate to the surrounding fire conditions.			
5.2 Special hazards arising from	n the substance or mixture			
	Burning produces irritating, toxic and noxious fumes.			
5.3. Advice for firefighters				
	Wear self contained breathing apparatus and protective clothing.			
Section 6 - Accidental release r	neasures			
	ctive equipment and emergency procedures			
	Ensure adequate ventilation of the working area. Avoid contact with skin and eyes.			
6.2 Environmental precautions				
	Do not allow product to enter drains. Prevent further spillage if safe.			

Material Safety Datasheet

Page 4 of 10

Issue date: 20 August 2020

6.3 Methods and material for containment and cleaning up			
	Transfer to suitable, labelled containers for disposal. Clean spillage area thoroughly with plenty of water.		
6.4 Reference to other sections			
	See section 8. EXPOSURE CONTROLS / PERSONAL PROTECTION for further information. See section 13. DISPOSAL CONSIDERATIONS for further information.		
Section 7 - Handling and storage			
7.1 Precautions for safe handling			
	Ensure adequate ventilation of the working area. Avoid contact with eyes and skin. Adopt best Manual Handling considerations when handling, carrying and dispensing.		
7.2 Conditions for safe storage,	including any incompatibilities		
	Keep containers tightly closed. Keep in a cool, dry, well ventilated area. Store in correctly labelled containers.		
7.3 Specific end use(s)			
	See section 1.2. Relevant identified uses of the substance or mixture and uses advised against for further information.		

Material Safety Datasheet

Page 5 of 10

Section 8 - Exposure controls/personal protection				
8.1 Control parameters				
	Occupational exposure controls.			
8.1.1 Exposure Limit Values				
Ethylene glycol monobutyl ether (2-Butoxyethanol)		25 50 -	WEL 8-hr limit mg/m³: WEL 15 min limit mg/m³: WEL 15 min limit mg/m³ total inhalable dust: WEL 15 min limit mg/m³ total respirable dust:	123 101.2 -
8.2 Exposure controls				
8.2.1 Appropriate engineering controls	Not normally required.			
8.2.2 Individual protection measures	Wear suitable gloves and eye/face protection.			
Eye / face protection	Approved safety goggles.			
Skin protection - Handprotection	Chemical resistant gloves (PVC).			
Skin protection - Other	Wear suitable protective clothing.			
Respiratory protection	Not normally required.			
Occupational exposure controls	Keep away from food, drink	k and a	nimal feedstuffs.	

Material Safety Datasheet

Page 6 of 10

Section 9 - Physical and chemi-	cal properties	
9.1 Information on basic physical and chemical properties (continued)		
Appearance	Liquid	
Colour	Clear	
Odour	Strong	
Odour threshold	No data available	
рН	≈ 12.4	
Melting point	No data available	
Freezing point	No data available	
Initial boiling point	≈ 100°C	
Flash point	<67°C	
Evaporation rate	No data available	
Flammability (solid, gas)	No data available	
Vapour pressure	No data available	
Vapour density	No data available	
Relative density	± 1.021 (H ₂ O = 1 @ 20°C)	
Fat Solubility	No data available	
Partition coefficient	No data available	
Autoignition temperature	No data available	
Viscosity	No data available	
Explosive properties	No data available	
Oxidising properties	No data available	
Solubility	Soluble in water	
9.2 Other information		
Conductivity	No data is available	
Surface tension	No data is available	
Gas group	No data is available	
Benzene Content	No data is available	
Lead content	No data is available	
VOC (Volatile organic compounds)	No data is available	

Material Safety Datasheet

Page 7 of 10

Section 10 - Stability and reac	tivity	
10.1 Reactivity		
	Stable under normal conditions.	
10.2 Chemical stability		
	Stable under normal conditions.	
10.3 Possibility of hazardous r	eactions	
	No data is available on this product.	
10.4 Conditions to avoid		
	No data is available on this product.	
10.5 Incompatible materials		
	No data is available on this product.	
10.6 Hazardous decompositio	n products	
	No data is available on this product.	
Section 11 - Toxicological infor	mation	
11.1 Information on toxicologic	cal effects	
Skin corrosion/irritation	May cause irritation to skin.	
Serious eye damage/irritation	May cause irritation to eyes.	
11.1.4 Toxicological Informatio	n	
	No data available	
Section 12 - Ecological inform	ation	
12.1 Toxicity		
-	No data is available on this product.	
12.2 Persistence and degradability		
	No data is available on this product.	
12.3 Bioaccumulative potentia		
Bioconcentration factor (BCF)	No data is available on this product.	
Octanol-Water Partition Coefficient	No data is available on this product.	
12.4 Mobility in soil		
	No data is available on this product.	
12.5 Results of PBT and vPvB	assessment	
	No data is available on this product.	
12.6 Other adverse effects		
	No data is available on this product.	

Material Safety Datasheet

Page 8 of 10

Issue date: 20 August 2020

Section 13 - Disposal considerations			
13.1 Waste treatment methods	3		
	Dispose of in compliance with all local and national regulations.		
Section 14 - Transport informa	tion		
14.1 UN number			
THE CIT HAMBON	The product is not classified as dangerous for carriage.		
14.2 UN proper shipping name			
	The product is not classified as dangerous for carriage.		
14.3. Transport hazard class(e	s)		
	The product is not classified as dangerous for carriage.		
14.4 Packing group			
Packing group	The product is not classified as dangerous for carriage.		
14.5 Environmental hazards			
Environmental hazards	The product is not classified as dangerous for carriage.		
14.6 Special precautions for user			
	No data is available on this product.		
14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code			
	The product is not classified as dangerous for carriage.		
	No data is available on this product.		

Material Safety Datasheet

Page 9 of 10

Issue date: 20 August 2020

Section 15 - Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulations

REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.

COMMISSION REGULATION (EU) No 453/2010 of 20 May 2010 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.

15.2 Chemical safety assessment

No data is available on this product.

Material Safety Datasheet

Page 10 of 10

Section 16 - Other information	
Other information	
Revision	This document differs from the previous version in the following areas: None
Text of risk phrases in Section 3	R20/21/22 - Harmful by inhalation, in contact with skin and if swallowed. R22 - Harmful if swallowed. R34 - Causes burns. R36/38 - Irritating to eyes and skin. R37 - Irritating to respiratory system. R41 - Risk of serious damage to eyes. R50 - Very toxic to aquatic organisms.
Text of Hazard Statements in Section 3	Acute Tox. 4: H302 - Harmful if swallowed. Eye Dam. 1: H318 - Causes serious eye damage. Aquatic Acute 1: H400 - Very toxic to aquatic life. Acute Tox. 4: H312 - Harmful in contact with skin. Skin Irrit. 2: H315 - Causes skin irritation. Eye Irrit. 2: H319 - Causes serious eye irritation. Acute Tox. 4: H332 - Harmful if inhaled. Met. Corr. 1: H290 - May be corrosive to metals. Skin Corr. 1B: H314 - Causes severe skin burns and eye damage. STOT SE 3: H335 - May cause respiratory irritation.
Further information	
	The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process.

Copyright 2020 Granwax Products Limited

Swift Low Foam - MSDS

Products Limited



Issue date: 20 August 2020